# seqmagick Documentation

Release 0.3.0

Matsen Group

March 25, 2014

Contents

#### Contents

- seqmagick
  - Motivation
  - Installation
  - Use
  - Subcommands
    - \* convert and mogrify
      - Examples
      - · Command-line Arguments
    - \* extract-ids
    - \* info
      - · Example
    - \* primer-trim
    - \* quality-filter
  - Supported File Extensions
  - Indices and tables

### Motivation

We often have to convert between sequence formats and do little tasks on them, and it's not worth writing scripts for that. Seqmagick is a kickass little utility built in the spirit of imagemagick to expose the file format conversion in Biopython in a convenient way. Instead of having a big mess of scripts, there is one that takes arguments:

seqmagick convert a.fasta b.phy # convert from fasta to phylip seqmagick mogrify --ungap a.fasta # remove all gaps from a.fasta, in place seqmagick info \*.fasta # describe all FASTA files in the current directory

And more.

## Installation

First, you'll need to install BioPython. NumPy (which parts of BioPython depend on) is not required for seqmagick to function. Once done, install with:

pip install seqmagick

Get the bleeding edge version here, or clone our repository:

git clone git://github.com/fhcrc/seqmagick.git

Use

Seqmagick can be used to query information about sequence files, convert between types, and modify sequence files. All functions are accessed through subcommands:

seqmagick <subcommand> [options] arguments

### Subcommands

### 4.1 convert and mogrify

Convert and mogrify achieve similar goals. convert performs some operation on a file (from changing format to something more complicated) and writes to a new file. mogrify modifies a file in place, and would not normally be used to convert formats.

The two have similar signatures:

seqmagick convert [options] infile outfile

vs:

seqmagick mogrify [options] infile

Options are shared between convert and mogrify.

#### 4.1.1 Examples

#### **Basic Conversion**

convert can be used to convert between any file types BioPython supports (which is many). For a full list of supported types, see the BioPython SeqIO wiki page.

By default, file type is inferred from file extension, so:

seqmagick convert a.fasta a.sto

converts an existing file a.fasta from FASTA to Stockholm format. Neat! But there's more.

#### **Sequence Modification**

A wealth of options await you when you're ready to do something slightly more complicated with your sequences.

Let's say I just want a few of my sequences:

<pre>\$ seqmagick converthead</pre>	d 5 examples	s/test.fas	sta exampl	es/test.h	nead.fasta
<pre>\$ seqmagick info examples,</pre>	/test*.fasta	a			
name	alignment	min_len	max_len	avg_len	num_seqs
examples/test.fasta	FALSE	972	9719	1573.67	15
examples/test.head.fasta	FALSE	978	990	984.00	5

Or I want to remove any gaps, reverse complement, select the last 5 sequences, and remove any duplicates from an alignment in place:

seqmagick mogrify --tail 5 --reverse-complement --ungap --deduplicate-sequences examples/test.fasta (

You can even define your own functions in python and use them via --apply-function.

Note: To maximize flexibility, most transformations passed as options to mogrify and convert are processed *in* order, so:

seqmagick convert --min-length 50 --cut 1:5 a.fasta b.fasta

#### will work fine, but:

seqmagick convert --cut 1:5 --min-length 50 a.fasta b.fasta

will never return records, since the cutting transformation happens before the minimum length predicate is applied.

#### 4.1.2 Command-line Arguments

The full set of options to mogrify and convert are:

#### **Sequence File Modification**

line-wrap N	Adjust line wrap for sequence strings. When N is 0,
	all line breaks are removed. Only fasta files are
	supported for the output format.
sort {length-asc,len	ngth-desc,name-asc,name-desc}
	Perform sorting by length or name, ascending or
	descending. ASCII sorting is performed for names

#### **Sequence Modification**

```
--apply-function /path/to/module.py:function_name
                      Specify a custom function to apply to the input
                      sequences, specified as
                      /path/to/file.py:function_name. Function should accept
                      an iterable of Bio.SeqRecord objects, and yield
                      SeqRecords. Specify more than one to chain.
--cut start:end
                     1-indexed start and end positions for cutting
                      sequences, : separated. Includes last item.
--dash-gap
                     Change . and : into - for all sequences
                     Translate the sequences to lower case
--lower
--reverse
                     Reverse the order of sites in sequences
--reverse-complement Convert sequences into reverse complements
                     Remove any gaps that are present in the same position
--squeeze
                      across all sequences in an alignment (equivalent to
                      --squeeze-threshold=1.0)
--squeeze-threshold PROP
                      Trim columns from an alignment which have gaps in
                      least the specified proportion of sequences.
--transcribe {dna2rna, rna2dna}
                      Transcription and back transcription for generic DNA
                      and RNA. Source sequences must be the correct alphabet
```

	or this action will likely produce incorrect results.
translate	{dna2protein,rna2protein,dna2proteinstop,rna2proteinstop}
	Translate from generic DNA/RNA to proteins. Options
	with "stop" suffix will NOT translate through stop
	codons .Source sequences must be the correct alphabet
	or this action will likely produce incorrect results.
ungap	Remove gaps in the sequence alignment
upper	Translate the sequences to upper case

#### **Record Selection**

deduplicate-sequence	es
	Remove any duplicate sequences by sequence content,
	keep the first instance seen
deduplicated-sequend	ces-file FILE
	Write all of the deduplicated sequences to a file
deduplicate-taxa	Remove any duplicate sequences by ID, keep the first
	instance seen
exclude-from-file FI	ILE
	Filter sequences, removing those sequence IDs in the
	specified file
include-from-file FI	ILE
	Filter sequences, keeping only those sequence IDs in
	the specified file
head N	Trim down to top N sequences
max-length N	Discard any sequences beyond the specified maximum
	length. This operation occurs *before* all length-
	changing options such as cut and squeeze.
min-length N	Discard any sequences less than the specified minimum
	length. This operation occurs *before* all length-
	changing options such as cut and squeeze.
min-ungapped-length	N
	Discard any sequences less than the specified minimum
	length, excluding gaps. This operation occurs *before*
	all length-changing options such as cut and squeeze.
pattern-include rege	EX
	Filter the sequences by regular expression in name
pattern-exclude rege	2X
	Filter out sequences by regular expression in name
prune-empty	Prune sequences containing only gaps ('-')
seq-pattern-include	regex
	Filter the sequences by regular expression in sequence
seq-pattern-exclude	regex
	Filter out sequences by regular expression in sequence
tail N	Trim down to bottom N sequences

#### Sequence ID Modification

	"repla	ace_patt	lern"	in sequend	ce ID		
strip-range	Strip	ranges	from	sequences	IDs,	matching	

#### **Format Options**

By default, file format is inferred from extension:

```
--input-format Format
Input file format (default: determine from extension)
--output-format Format
Output file format (default: determine from extension)
```

### 4.2 extract-ids

seqmagick extract-ids is extremely simple - all the IDs from a sequence file are printed to stdout (by default) or the file of your choosing:

### 4.3 info

seqmagick info describes one or more sequence files

#### 4.3.1 Example

<pre>seqmagick info examples/*.</pre>	fasta				
name	alignment	min_len	max_len	avg_len	num_seqs
examples/aligned.fasta	TRUE	9797	9797	9797.00	15
examples/dewrapped.fasta	TRUE	240	240	240.00	148
examples/range.fasta	TRUE	119	119	119.00	2
examples/test.fasta	FALSE	972	9719	1573.67	15
examples/wrapped.fasta	FALSE	120	237	178.50	2

Output can be in comma-separated, tab-separated, or aligned formats. See seqmagick info -h for details.

### 4.4 primer-trim

primer-trim trims an alignment to a region defined by a set of forward and reverse primers. Usage is as follows:

positional arguments:	
source_file	Source alignment file
output_file	Destination trimmed file
forward_primer	The forward primer used
reverse_primer	The reverse primer used. By default the reverse primer
	is assumed to be a subsequence of the top strand (that
	is, the reverse complement of an actual downstream PCR
	primer). Usereverse-is-revcomp if this is not the
	case.
optional arguments:	
-h,help	show this help message and exit
reverse-is-revcomp	Reverse primer is written as the reverse complement of
	the top strand (default: False)
source-format SOURC	E_FORMAT
	Alignment format (default: detect from extension
output-format OUTPU	T_FORMAT
	Alignment format (default: detect from extension
include-primers	Include the primers in the output (default: False)
max-hamming-distanc	e MAX_HAMMING_DISTANCE
	Maximum Hamming distance between primer and alignment
	site (default: 1). IUPAC ambiguous bases in the primer
	matching unambiguous bases in the alignment are not
	penalized
prune-action {trim,	isolate}
	Action to take. Options are trim (trim to the region
	defined by the two primers, decreasing the width of
	the alignment), or isolate (convert all characters
	outside the primer-defined area to gaps). default:
	trim

### 4.5 quality-filter

quality-filter truncates and removes sequences that don't match a set of quality criteria. The subcommand takes a FASTA and quality score file, and writes the results to an output file:

```
positional arguments:
 input_fasta
                        Input fasta file
 input_qual
                        The quality scores associated with fasta_file
 output_file
                        Output file. Format determined from extension.
optional arguments:
 -h, --help
                        show this help message and exit
 --min-mean-quality QUALITY
                        Minimum mean quality score for each read [default: 25]
 --min-length LENGTH
                        Minimum length to keep sequence [default: None]
 --quality-window WINDOW_SIZE
                        Window size for truncating sequences. When set to a
                        non-zero value, sequences are truncated where the mean
                        mean quality within the window drops below --min-mean-
                        quality. [default: 0]
 --ambiguous-action {truncate,drop}
                        Action to take on ambiguous base in sequence (N's).
                        [default: no action]
```

# **Supported File Extensions**

Extension	Format
.afa	fasta
.aln	clustal
.fa	fasta
.faa	fasta
.fasta	fasta
.fastq	fastq
.ffn	fasta
.fna	fasta
.frn	fasta
.gb	genbank
.gbk	genbank
.needle	emboss
.phy	phylip
.phylip	phylip
.qual	qual
.sff	sff
.sth	stockholm
.sto	stockholm

By default, seqmagick infers the file type from extension. Currently mapped extensions are:

If an extension is not listed, you can either rename the file to a supported extension, or specify it manually via --input-format or --output-format.

CHAPTER 6

Indices and tables

- genindex
- modindex
- search