

---

# **seqmagick Documentation**

***Release 0.3.1***

**Matsen Group**

March 25, 2014







## Contents

- seqmagick
  - Motivation
  - Installation
  - Use
  - Subcommands
    - \* `convert and mogrify`
      - Examples
      - Command-line Arguments
    - \* `extract-ids`
    - \* `info`
      - Example
    - \* `primer-trim`
    - \* `quality-filter`
  - Supported File Extensions
  - Acknowledgements
  - Contributing



---

### Motivation

---

We often have to convert between sequence formats and do little tasks on them, and it's not worth writing scripts for that. Seqmagick is a kickass little utility built in the spirit of [imagemagick](#) to expose the file format conversion in Biopython in a convenient way. Instead of having a big mess of scripts, there is one that takes arguments:

```
seqmagick convert a.fasta b.phy      # convert from fasta to phylip
seqmagick mogrify --ungap a.fasta    # remove all gaps from a.fasta, in place
seqmagick info *.fasta               # describe all FASTA files in the current directory
```

And more.





---

# Installation

---

First, you'll need to install [BioPython](#). NumPy (which parts of BioPython depend on) is not required for `seqmagick` to function. Once done, install with:

```
pip install seqmagick
```

Get the bleeding edge version [here](#), or clone our repository:

```
git clone git://github.com/fhcrc/seqmagick.git
```



---

### Use

---

Seqmagick can be used to query information about sequence files, convert between types, and modify sequence files. All functions are accessed through subcommands:

```
seqmagick <subcommand> [options] arguments
```



---

## Subcommands

---

### 4.1 convert and mogrify

Convert and mogrify achieve similar goals. `convert` performs some operation on a file (from changing format to something more complicated) and writes to a new file. `mogrify` modifies a file in place, and would not normally be used to convert formats.

The two have similar signatures:

```
seqmagick convert [options] infile outfile
```

vs:

```
seqmagick mogrify [options] infile
```

Options are shared between `convert` and `mogrify`.

#### 4.1.1 Examples

##### Basic Conversion

`convert` can be used to convert between any file types BioPython supports (which is many). For a full list of supported types, see the [BioPython SeqIO wiki page](#).

By default, file type is inferred from file extension, so:

```
seqmagick convert a.fasta a.sto
```

converts an existing file `a.fasta` from FASTA to Stockholm format. **Neat!** But there's more.

##### Sequence Modification

A wealth of options await you when you're ready to do something slightly more complicated with your sequences.

Let's say I just want a few of my sequences:

```
$ seqmagick convert --head 5 examples/test.fasta examples/test.head.fasta
$ seqmagick info examples/test*.fasta
```

name	alignment	min_len	max_len	avg_len	num_seqs
examples/test.fasta	FALSE	972	9719	1573.67	15
examples/test.head.fasta	FALSE	978	990	984.00	5

Or I want to remove any gaps, reverse complement, select the last 5 sequences, and remove any duplicates from an alignment in place:

```
seqmagick mogrify --tail 5 --reverse-complement --ungap --deduplicate-sequences examples/test.fasta e
```

You can even define your own functions in python and use them via `--apply-function`.

---

**Note:** To maximize flexibility, most transformations passed as options to `mogrify` and `convert` are processed *in order*, so:

```
seqmagick convert --min-length 50 --cut 1:5 a.fasta b.fasta
```

will work fine, but:

```
seqmagick convert --cut 1:5 --min-length 50 a.fasta b.fasta
```

will never return records, since the cutting transformation happens before the minimum length predicate is applied.

---

## 4.1.2 Command-line Arguments

The full set of options to `mogrify` and `convert` are:

### Sequence File Modification

<code>--line-wrap N</code>	Adjust line wrap for sequence strings. When N is 0, all line breaks are removed. Only fasta files are supported for the output format.
<code>--sort {length-asc,length-desc,name-asc,name-desc}</code>	Perform sorting by length or name, ascending or descending. ASCII sorting is performed for names

### Sequence Modification

<code>--apply-function /path/to/module.py:function_name</code>	Specify a custom function to apply to the input sequences, specified as <code>/path/to/file.py:function_name</code> . Function should accept an iterable of <code>Bio.SeqRecord</code> objects, and yield <code>SeqRecords</code> . Specify more than one to chain.
<code>--cut start:end</code>	1-indexed start and end positions for cutting sequences, <code>:</code> separated. Includes last item.
<code>--dash-gap</code>	Change <code>.</code> and <code>:</code> into <code>-</code> for all sequences
<code>--lower</code>	Translate the sequences to lower case
<code>--reverse</code>	Reverse the order of sites in sequences
<code>--reverse-complement</code>	Convert sequences into reverse complements
<code>--squeeze</code>	Remove any gaps that are present in the same position across all sequences in an alignment (equivalent to <code>--squeeze-threshold=1.0</code> )
<code>--squeeze-threshold PROP</code>	Trim columns from an alignment which have gaps in least the specified proportion of sequences.
<code>--transcribe {dna2rna,rna2dna}</code>	Transcription and back transcription for generic DNA and RNA. Source sequences must be the correct alphabet

```

        or this action will likely produce incorrect results.
--translate {dna2protein,rna2protein,dna2proteinstop,rna2proteinstop}
        Translate from generic DNA/RNA to proteins. Options
        with "stop" suffix will NOT translate through stop
        codons. Source sequences must be the correct alphabet
        or this action will likely produce incorrect results.
--ungap        Remove gaps in the sequence alignment
--upper        Translate the sequences to upper case
```

## Record Selection

```
--deduplicate-sequences
        Remove any duplicate sequences by sequence content,
        keep the first instance seen
--deduplicated-sequences-file FILE
        Write all of the deduplicated sequences to a file
--deduplicate-taxa
        Remove any duplicate sequences by ID, keep the first
        instance seen
--exclude-from-file FILE
        Filter sequences, removing those sequence IDs in the
        specified file
--include-from-file FILE
        Filter sequences, keeping only those sequence IDs in
        the specified file
--head N
        Trim down to top N sequences
--max-length N
        Discard any sequences beyond the specified maximum
        length. This operation occurs *before* all length-
        changing options such as cut and squeeze.
--min-length N
        Discard any sequences less than the specified minimum
        length. This operation occurs *before* all length-
        changing options such as cut and squeeze.
--min-ungapped-length N
        Discard any sequences less than the specified minimum
        length, excluding gaps. This operation occurs *before*
        all length-changing options such as cut and squeeze.
--pattern-include regex
        Filter the sequences by regular expression in name
--pattern-exclude regex
        Filter out sequences by regular expression in name
--prune-empty
        Prune sequences containing only gaps ('-')
--seq-pattern-include regex
        Filter the sequences by regular expression in sequence
--seq-pattern-exclude regex
        Filter out sequences by regular expression in sequence
--tail N
        Trim down to bottom N sequences
```

## Sequence ID Modification

```
--first-name
        Take only the first whitespace-delimited word as the
        name of the sequence
--name-suffix SUFFIX
        Append a suffix to all IDs.
--name-prefix PREFIX
        Insert a prefix for all IDs.
--pattern-replace search_pattern replace_pattern
        Replace regex pattern "search_pattern" with
```

```
--strip-range          "replace_pattern" in sequence ID
                        Strip ranges from sequences IDs, matching </x-y>
```

## Format Options

By default, file format is inferred from extension:

```
--input-format Format      Input file format (default: determine from extension)
--output-format Format     Output file format (default: determine from extension)
```

## 4.2 extract-ids

seqmagick extract-ids is extremely simple - all the IDs from a sequence file are printed to stdout (by default) or the file of your choosing:

```
positional arguments:
  sequence_file      Sequence file

optional arguments:
  -h, --help          show this help message and exit
  -o OUTPUT_FILE, --output-file OUTPUT_FILE
                      Destination trimmed file
  --source-format SOURCE_FORMAT
```

## 4.3 info

seqmagick info describes one or more sequence files

### 4.3.1 Example

```
seqmagick info examples/*.fasta
```

name	alignment	min_len	max_len	avg_len	num_seqs
examples/aligned.fasta	TRUE	9797	9797	9797.00	15
examples/dewrapped.fasta	TRUE	240	240	240.00	148
examples/range.fasta	TRUE	119	119	119.00	2
examples/test.fasta	FALSE	972	9719	1573.67	15
examples/wrapped.fasta	FALSE	120	237	178.50	2

Output can be in comma-separated, tab-separated, or aligned formats. See `seqmagick info -h` for details.

## 4.4 primer-trim

primer-trim trims an alignment to a region defined by a set of forward and reverse primers. Usage is as follows:



## positional arguments:

source_file	Source alignment file
output_file	Destination trimmed file
forward_primer	The forward primer used
reverse_primer	The reverse primer used. By default the reverse primer is assumed to be a subsequence of the top strand (that is, the reverse complement of an actual downstream PCR primer). Use --reverse-is-revcomp if this is not the case.

## optional arguments:

-h, --help	show this help message and exit
--reverse-is-revcomp	Reverse primer is written as the reverse complement of the top strand (default: False)
--source-format SOURCE_FORMAT	Alignment format (default: detect from extension)
--output-format OUTPUT_FORMAT	Alignment format (default: detect from extension)
--include-primers	Include the primers in the output (default: False)
--max-hamming-distance MAX_HAMMING_DISTANCE	Maximum Hamming distance between primer and alignment site (default: 1). IUPAC ambiguous bases in the primer matching unambiguous bases in the alignment are not penalized
--prune-action {trim, isolate}	Action to take. Options are trim (trim to the region defined by the two primers, decreasing the width of the alignment), or isolate (convert all characters outside the primer-defined area to gaps). default: trim

## 4.5 quality-filter

quality-filter truncates and removes sequences that don't match a set of quality criteria. The subcommand takes a FASTA and quality score file, and writes the results to an output file:

## positional arguments:

input_fasta	Input fasta file
input_qual	The quality scores associated with fasta_file
output_file	Output file. Format determined from extension.

## optional arguments:

-h, --help	show this help message and exit
--min-mean-quality QUALITY	Minimum mean quality score for each read [default: 25]
--min-length LENGTH	Minimum length to keep sequence [default: None]
--quality-window WINDOW_SIZE	Window size for truncating sequences. When set to a non-zero value, sequences are truncated where the mean quality within the window drops below --min-mean-quality. [default: 0]
--ambiguous-action {truncate, drop}	Action to take on ambiguous base in sequence (N's). [default: no action]



---

## Supported File Extensions

---

By default, `seqmagick` infers the file type from extension. Currently mapped extensions are:

Extension	Format
.afa	fasta
.aln	clustal
.fa	fasta
.faa	fasta
.fas	fasta
.fasta	fasta
.fastq	fastq
.ffn	fasta
.fna	fasta
.frn	fasta
.gb	genbank
.gbk	genbank
.needle	emboss
.phy	phylip
.phylip	phylip
.phyx	phylip-relaxed ( <b>note:</b> requires building BioPython from the master branch until v1.58 is released)
.qual	qual
.sff	sff
.sth	stockholm
.sto	stockholm

If an extension is not listed, you can either rename the file to a supported extension, or specify it manually via `--input-format` or `--output-format`.



---

## Acknowledgements

---

seqmagick is written and maintained by the [Matsen Group](#) at the Fred Hutchinson Cancer Research Center.



---

## Contributing

---

We welcome contributions! Simply fork the repository on [GitHub](#) and send a pull request.